

LA CELLA REFRIGERATA DALLE MISURE STANDARD

The refrigerated cold room with standard dimensions



▪ CARATTERISTICHE GENERALI

- Tecnologia, design e produzione "Made in Italy";
- Pannelli isotermitici, passo da 300 mm;
- Spessore del pannello: 80 / 120 mm, rivestimento in lamiera preverniciata, idonea al contatto alimentare;
- Poliuretano iniettato ad alta pressione senza gas CFC pericolosi per l'ambiente (densità 40 Kg / m³);
- Bloccaggio dei pannelli tramite ganci ad eccentrico, con chiave esagonale in dotazione;
- Imballo: smontata pallet + nylon. Gabbia di legno a richiesta;
- Facilità di montaggio.

▪ DOTAZIONE DI SERIE



- Nr. 1 porta a tampone, foro luce mm **700 x 1890 H (sp. 80)** / foro luce mm **700 x 1960 H (sp. 120)** apribile dall'esterno e dall'interno e dotata di maniglia con sistema anti chiusura completa di serratura e nr. 3 chiavi, cerniere DX;



- **Il pannello della porta può essere scambiato di posizione con un qualsiasi pannello di ugual misura;**



- **Tutti i pannelli del perimetro possono essere montati sottosopra ottenendo così l'apertura della porta verso SX;**

- Nella versione TN e BT è presente la resistenza nel vano porta;



- Pannello parete **interno / esterno** realizzato con due lamiere di acciaio preverniciato atossico ad uso alimentare;



- Pannello soffitto **esterno** realizzato con una lamiera di acciaio zincato; Pannello soffitto **interno** realizzato in acciaio preverniciato, atossico;



- Pannello pavimento **esterno** in lamiera di acciaio zincato; Pannello pavimento **interno** in lamiera di acciaio inox, bugnato, antisdrucciolo.



▪ GENERAL FEATURES

- Technology, design and production "Made in Italy";
- Isothermal panels, 300 mm pitch;
- Panel thickness: 80 / 120 mm, pre-painted sheet metal cladding, suitable for food contact;
- High-pressure injected CFCs-free polyurethane insulation (density 40 Kg / m³);
- Locking of panels by means of cam hooks, supplied with hexagonal key;
- Packaging: supplied dismantled in pallet + nylon. Wooden crate on request;
- Easy assembly.

▪ STANDARD SET-UP



- No. 1 buffer door, light hole mm **700x1890 H (thickness 80)** / light hole mm **700 x 1960 H (thickness 120)**, it can be opened from both the outside and the inside, equipped with a handle with an anti-closure system, complete with a lock and 3 keys, right-hinged;



- **The door panel can be installed with any other panel of the same size;**



- **All perimeter panels can be installed upside down, allowing the door to open to the left;**

- For TN (normal temperature) and BT (low temperature) version, heating element is included in the door frame;



- **Internal / external wall panel made of two food-safe, pre-painted steel sheets;**



- **External ceiling panel made of galvanised steel sheet; Internal ceiling panel made of pre-painted, non-toxic steel;**



- **External floor panel made of galvanised steel sheet; Internal floor panel made of stainless steel, embossed, non-slip.**



DOMINO

▪ SPESSORE PANNELLI:

Panel thickness:



Sp.80 mm



Sp.120 mm

▪ ALTEZZE STANDARD:

Standard heights:



H.2050 mm

Domino80 - SP. 80 mm

Con pavimento / With floor



H.2200 mm

Domino120 - SP. 120 mm

Con pavimento / With floor

Disponibili nelle temperature di esercizio (°C):

Available in the working temperature (°C):



0°C

+ 5°C

TN TEMPERATURA NORMALE
NORMAL TEMPERATURE




- 18°C


- 20°C

BT BASSA TEMPERATURA
LOW TEMPERATURE


1200 mm (Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-121220**



Codice / Code **P308-121520**




Codice / Code **P308-121820**

1200 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m ³ INTERNI INTERNAL m ³	
P308-121220	1200 x 1200 x 2050 mm	1040 x 1040 x 1890 mm	2 m ³	
P308-121520	1200 x 1500 x 2050 mm	1040 x 1340 x 1890 mm	2,7 m ³	
P308-121820	1200 x 1800 x 2050 mm	1040 x 1640 x 1890 mm	3,25 m ³	

1200 mm

(Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-122120**



Codice / Code **P308-122420**


1200 mm

CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-122120	1200 x 2100 x 2050 mm	1040 x 1940 x 1890 mm	3,82 m³	
P308-122420	1200 x 2400 x 2050 mm	1040 x 2240 x 1890 mm	4,4 m³	


DOMINO80
Listino prezzi

Price list DOMINO80


1500 mm (Larghezza mm / Width mm) / **H 2050 mm**



Codice / Code **P308-151220**



Codice / Code **P308-151520**




Codice / Code **P308-151820**

1500 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-151220	1500 x 1200 x 2050 mm	1340 x 1040 x 1890 mm	2,65 m³	
P308-151520	1500 x 1500 x 2050 mm	1340 x 1340 x 1890 mm	3,4 m³	
P308-151820	1500 x 1800 x 2050 mm	1340 x 1640 x 1890 mm	4,2 m³	

1500 mm

(Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-152120**



Codice / Code **P308-152420**

1500 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-152120	1500 x 2100 x 2050 mm	1340 x 1940 x 1890 mm	5 m³	
P308-152420	1500 x 2400 x 2050 mm	1340 x 2240 x 1890 mm	5,7 m³	

DOMINO80


Listino prezzi

Price list DOMINO80


1800 mm (Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-181220**



Codice / Code **P308-181520**



Codice / Code **P308-181820**


1800 mm

CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	PREZZO / PRICE
P308-181220	1800 x 1200 x 2050 mm	1640 x 1040 x 1890 mm	3,23 m³	
P308-181520	1800 x 1500 x 2050 mm	1640 x 1340 x 1890 mm	4,15 m³	
P308-181820	1800 x 1800 x 2050 mm	1640 x 1640 x 1890 mm	5,08 m³	


1800 mm

(Larghezza mm / Width mm) / H 2050 mm

DOMINO80
Listino prezzi



Codice / Code **P308-182120**




Codice / Code **P308-182420**

1800 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-182120	1800 x 2100 x 2050 mm	1640 x 1940 x 1890 mm	6 m³	
P308-182420	1800 x 2400 x 2050 mm	1640 x 2240 x 1890 mm	6,95 m³	

Price list DOMINO80


2100 mm (Larghezza mm / Width mm) / **H 2050 mm**



Codice / Code **P308-211220**



Codice / Code **P308-211520**




Codice / Code **P308-211820**


2100 mm

CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m ³ INTERNI INTERNAL m ³	PREZZO / PRICE
P308-211220	2100 x 1200 x 2050 mm	1940 x 1040 x 1890 mm	3,8 m ³	
P308-211520	2100 x 1500 x 2050 mm	1940 x 1340 x 1890 mm	4,915 m ³	
P308-211820	2100 x 1800 x 2050 mm	1940 x 1640 x 1890 mm	6,02 m ³	


2100 mm (Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-212120**



Codice / Code **P308-212420**






Codice / Code **P308-212720**

2100 mm

CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-212120	2100 x 2100 x 2050 mm	1940 x 1940 x 1890 mm	7,13 m³	
P308-212420	2100 x 2400 x 2050 mm	1940 x 2240 x 1890 mm	8,22 m³	
P308-212720	2100 x 2700 x 2050 mm	1940 x 2540 x 1890 mm	9,33 m³	

2400 mm (Larghezza mm / Width mm) / H 2050 mm




2400 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-241220	2400 x 1200 x 2050 mm	2240 x 1040 x 1890 mm	4,4 m³	
P308-241520	2400 x 1500 x 2050 mm	2240 x 1340 x 1890 mm	5,67 m³	
P308-241820	2400 x 1800 x 2050 mm	2240 x 1640 x 1890 mm	9,32 m³	

2400 mm (Larghezza mm / Width mm) / H 2050 mm


Listino prezzi **DOMIN080**



Codice / Code **P308-242120**




Codice / Code **P308-242420**




Codice / Code **P308-242720**

2400 mm				
CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-242120	2400 x 2100 x 2050 mm	2240 x 1940 x 1890 mm	8,2 m³	
P308-242420	2400 x 2400 x 2050 mm	2240 x 2240 x 1890 mm	9,46 m³	
P308-242720	2400 x 2700 x 2050 mm	2240 x 2540 x 1890 mm	10,73 m³	


2700 mm (Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-271220**



Codice / Code **P308-271520**




Codice / Code **P308-271820**

2700 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m ³ INTERNI INTERNAL m ³	
P308-271220	2700 x 1200 x 2050 mm	2540 x 1040 x 1890 mm	5 m ³	
P308-271520	2700 x 1500 x 2050 mm	2540 x 1340 x 1890 mm	6,45 m ³	
P308-271820	2700 x 1800 x 2050 mm	2540 x 1640 x 1890 mm	7,9 m ³	

2700 mm


(Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-272120**



Codice / Code **P308-272420**



Codice / Code **P308-272720**


2700 mm

CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-272120	2700 x 2100 x 2050 mm	2540 x 1940 x 1890 mm	9,4 m³	
P308-272420	2700 x 2400 x 2050 mm	2540 x 2240 x 1890 mm	10,8 m³	
P308-272720	2700 x 2700 x 2050 mm	2540 x 2540 x 1890 mm	12,24 m³	


Listino prezzi **DOMINO80**

Price list **DOMINO80**


3000 mm (Larghezza mm / Width mm) / **H 2050 mm**



Codice / Code **P308-301520**



Codice / Code **P308-301820**




Codice / Code **P308-302120**

3000 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m ³ INTERNI INTERNAL m ³	
P308-301520	3000 x 1500 x 2050 mm	2840 x 1340 x 1890 mm	7,19 m ³	
P308-301820	3000 x 1800 x 2050 mm	2840 x 1640 x 1890 mm	8,8 m ³	
P308-302120	3000 x 2100 x 2050 mm	2840 x 1940 x 1890 mm	10,41 m ³	

3000 mm


(Larghezza mm / Width mm) / H 2050 mm



Codice / Code **P308-302420**



Codice / Code **P308-302720**



Codice / Code **P308-303020**


3000 mm

CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P308-302420	3000 x 2400 x 2050 mm	2840 x 2240 x 1890 mm	12,02 m³	
P308-302720	3000 x 2700 x 2050 mm	2840 x 2540 x 1890 mm	13,63 m³	
P308-303020	3000 x 3000 x 2050 mm	2840 x 2840 x 1890 mm	15,24 m³	


Listino prezzi **DOMINO80**

Price list **DOMINO80**


1500 mm (Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-151522**



Codice / Code **P312-151822**




Codice / Code **P312-152122**

1500 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P312-151522	1500 x 1500 x 2200 mm	1260 x 1260 x 1960 mm	3,1 m³	
P312-151822	1500 x 1800 x 2200 mm	1260 x 1560 x 1960 mm	3,86 m³	
P312-152122	1500 x 2100 x 2200 mm	1260 x 1860 x 1960 mm	4,6 m³	

1500 mm


(Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-152422**



Codice / Code **P312-152722**



Codice / Code **P312-153022**

1500 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P312-152422	1500 x 2400 x 2200 mm	1260 x 2160 x 1960 mm	5,36 m³	
P312-152722	1500 x 2700 x 2200 mm	1260 x 2460 x 1960 mm	6,1 m³	
P312-153022	1500 x 3000 x 2200 mm	1260 x 2760 x 1960 mm	6,86 m³	

DOMINO120


Listino prezzi

Price list DOMINO120


1800 mm (Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-181522**



Codice / Code **P312-181822**




Codice / Code **P312-182122**

1800 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	PREZZO / PRICE
P312-181522	1800 x 1500 x 2200 mm	1560 x 1260 x 1960 mm	3,86 m³	
P312-181822	1800 x 1800 x 2200 mm	1560 x 1560 x 1960 mm	4,77 m³	
P312-182122	1800 x 2100 x 2200 mm	1560 x 1860 x 1960 mm	5,68 m³	

1800 mm


(Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-182422**



Codice / Code **P312-182722**




Codice / Code **P312-183022**

1800 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P312-182422	1800 x 2400 x 2200 mm	1560 x 2160 x 1960 mm	6,59 m³	
P312-182722	1800 x 2700 x 2200 mm	1560 x 2460 x 1960 mm	7,5 m³	
P312-183022	1800 x 3000 x 2200 mm	1560 x 2760 x 1960 mm	8,4 m³	

Listino prezzi **DOMINO120**


2100 mm (Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-211522**



Codice / Code **P312-211822**




Codice / Code **P312-212122**

2100 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P312-211522	2100 x 1500 x 2200 mm	1860 x 1260 x 1960 mm	4,6 m³	
P312-211822	2100 x 1800 x 2200 mm	1860 x 1560 x 1960 mm	5,68 m³	
P312-212122	2100 x 2100 x 2200 mm	1860 x 1860 x 1960 mm	6,75 m³	

2100 mm


(Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-212422**



Codice / Code **P312-212722**



Codice / Code **P312-213022**

2100 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	
P312-212422	2100 x 2400 x 2200 mm	1860 x 2160 x 1960 mm	7,82 m³	
P312-212722	2100 x 2700 x 2200 mm	1860 x 2460 x 1960 mm	8,89 m³	
P312-213022	2100 x 3000 x 2200 mm	1860 x 2760 x 1960 mm	9,97 m³	

DOMINO120


Listino prezzi

Price list DOMINO120


2400 mm (Larghezza mm / Width mm) / **H 2200 mm**



Codice / Code **P312-241522**



Codice / Code **P312-241822**



Codice / Code **P312-242122**

2400 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m ³ INTERNI INTERNAL m ³	
P312-241522	2400 x 1500 x 2200 mm	2160 x 1260 x 1960 mm	5,36 m ³	
P312-241822	2400 x 1800 x 2200 mm	2160 x 1560 x 1960 mm	6,59 m ³	
P312-242122	2400 x 2100 x 2200 mm	2160 x 1860 x 1960 mm	7,82 m ³	

2400 mm


(Larghezza mm / Width mm) / H 2200 mm

DOMINO120


Listino prezzi



Codice / Code **P312-242422**



Codice / Code **P312-242722**




Codice / Code **P312-243022**

2400 mm


CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	PREZZO / PRICE
P312-242422	2400 x 2400 x 2200 mm	2160 x 2160 x 1960 mm	9,05 m³	
P312-242722	2400 x 2700 x 2200 mm	2160 x 2460 x 1960 mm	10,28 m³	
P312-243022	2400 x 3000 x 2200 mm	2160 x 2760 x 1960 mm	11,51 m³	

Price list DOMINO120


2700 mm (Larghezza mm / Width mm) / **H 2200 mm**



Codice / Code **P312-271522**



Codice / Code **P312-271822**




Codice / Code **P312-272122**


2700 mm

CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m ³ INTERNI INTERNAL m ³	PREZZO / PRICE
P312-271522	2700 x 1500 x 2200 mm	2460 x 1260 x 1960 mm	6,1 m ³	
P312-271822	2700 x 1800 x 2200 mm	2460 x 1560 x 1960 mm	7,5 m ³	
P312-272122	2700 x 2100 x 2200 mm	2460 x 1860 x 1960 mm	8,89 m ³	

2700 mm (Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-272422**




Codice / Code **P312-272722**

2700 mm				
CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	PREZZO / PRICE
P312-272422	2700 x 2400 x 2200 mm	2460 x 2160 x 1960 mm	10,28 m³	
P312-272722	2700 x 2700 x 2200 mm	2460 x 2460 x 1960 mm	11,68 m³	

Domino120 mm spessore / thickness

3000 mm (Larghezza mm / Width mm) / H 2200 mm



Codice / Code **P312-303022**

3000 mm				
CODICE / CODE	DIMENSIONI ESTERNE LxPxH (mm) EXTERNAL DIMENSIONS LxDxH (mm)	DIMENSIONI INTERNE LxPxH (mm) INTERNAL DIMENSIONS LxDxH (mm)	m³ INTERNI INTERNAL m³	PREZZO / PRICE
P312-303022	3000 x 3000 x 2200 mm	2760 x 2760 x 1960 mm	15 m³	

