ECLIPSE RESTING CABINETS

MADE IN FRANCE







ECLIPSE RANGE

The Eclipse range are resting cabinets that can be loaded and unloaded manually.

The use of an resting cabinet ensures good relaxation of the dough pieces after the dividing stage, which favors elongation during moulding.

Ergonomic, compact and with a large storage capacity, Eclipse resting cabinets can be easily integrated into all types of bakery configurations.



KNOW-HOW

70 years at your side



With 70 years' experience, Bertrand Puma has achieved its high level of expertise thanks to unique know-how in the design of equipment for bakeries and patisseries, and the development of Made in France products that are ever more reliable and efficient.

> VISIT WWW.BERTRAND-PUMA.FR

> > LAB

Discover your future equipment



As a demonstration and training center, our LAB' is at your disposal for real-life testing of our equipment. Our Boulanger Démonstrateur is there to advise and assist you.

> MAKE AN APPOINTMENT +33 (04) 75 57 55 00

> > ASSISTANCE

At your service



Benefit from the power of a worldwide network of distributors! We provide local support to bakers around the world, helping you at every stage of your project.

> CALL US ON +33 (04) 75 57 55 00

EASY TO USE AND INTEGRATE

NUDEO
NUDEO
NUDEO
DISCOVER
DISCOVER
THE ECLIPSE
RANGE

The compact dimensions of Eclipse resting cabinets, with their **large loading capacity**, enable them to fit into any bakehouse configuration, **optimizing work space**.

Ergonomic research on this equipment has led to a design that ensures a good working position, for easy, comfortable use.





🤣 ROBUST CONSTRUCTION

Durable and resistant, Eclipse features a self-supporting **epoxypainted steel** frame. The frame is mounted on **4 swivel wheels**, with front brakes, for easy movement.

📃 LARGE CAPACITY

Store between **256 and 400 dough pieces** (350 g), depending on the model, while maintaining a **small footprint** (1.4 m^2 for the smallest model).





🖒 EASY TO USE

Manual loading/unloading is quick and easy, and step-by-step advance of the gutters is ensured by **two push-buttons** on the right and left. The **retractable rounding table** at the front of the machine allows you to finish the moulding process by hand if required.

OVERSONOMICS & COMFORT

Each model has an **ergonomic working height**.

The **top plate is designed to accommodate a moulder** to further optimize workspace and reduce movement.

材 IMPECCABLE HYGIENE

The gutters are made of f**ood-grade synthetic felt** (monofilament optional) and are **easy to dismantle**.

A safe maintenance cycle with timed stop in front of a germicidal lamp, as well as ventilation for drying, is available as an option (this maintenance kit can be retrofitted).



ECLIPSE STENTOR

THE ALLY OF INTENSIVE PRODUCTION

Specially designed for intensive, high-speed production, the **Eclipse Stentor** model lives up to every expectation.

Sturdy par excellence, Eclipse Stentor is prepared for all eventualities: **reinforced at the bottom**, its treated structure makes it more resistant to corrosion.

The interface is also more resistant to shocks, thanks to its **metal cover** and the integration of **flush-mounted buttons**.

The **rounding table is made of ertalon**, a tough, rigid material with excellent wear resistance.

For even greater ergonomics, a **bar** has been added to the front panel to facilitate machine movement.

A **maintenance hatch** is also integrated at the rear for **easy cleaning**.







TECHNICAL DATA







RANGE STENTOR

A reinforced design and an ever more robust choice of materials and accessories for intensive, all-terrain use.



SAFETY

All our equipment is certified by an external, independent organization.



ECLIPSE BASIC

Ultra-compact models, with a single push-button on the left, and no flour container or rounding table.

- not available ● standard € paying option

DATA AND DIMENSIONS

	ECLIPSE Basic 32	ECLIPSE Basic 32L	ECLIPSE Basic 40	ECLIPSE Basic 40L	ECLIPSE 32	ECLIPSE 32L	ECLIPSE 40	ECLIPSE 40L	ECLIPSE STENTOR
Number of 350g dough pieces	up to 256	up to 320	up to 320	up to 400	up to 256	up to 320	up to 320	up to 400	up to 400
Number of 650g dough pieces	up to 192	up to 224	up to 240	up to 280	up to 192	up to 224	up to 240	up to 280	up to 280
Number of gutters	32	32	40	40	32	32	40	40	40
Weight (kg)	270	285	305	320	285	300	320	335	420
Width (mm)	1276	1646	1276	1646	1304	1644	1304	1644	1644
Depth (mm)	1075	1075	1298	1298	1173	1173	1396	1396	1395
Height (mm)	1272	1272	1272	1272	1008	1008	1008	1008	1050
Shelf length	_	-	_	_	1118	1458	1118	1458	1458
Working height (mm)	988	988	988	988	908	908	908	908	959
Overall max. depth (mm)	1075	1075	1298	1298	1373	1373	1595	1595	1504
Overall max. height (mm)	1272	1272	1272	1272	1282	1282	1282	1282	1280
Electrical supply	400V / TRI+N+T / 50-60 Hz								
Power (kW)	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3
Rated current (A)	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89
Felt gutter	•	•	•	•	•	•	•	•	•
Monofilament gutters	_	-	_	_	€	€	€	€	_
Felt rounding table	-	-	-	-	•	•	•	•	-
Plastic rounding table	-	-	-	-	€	€	€	€	•
Bactericidal and maintenance cycle	-	-	-	-	€	€	€	€	€
Foot-operated control	_	-	_	_	€	€	€	€	-
Delivered assembled	-	-	-	-	€	€	€	€	•
Dual control and outlet*				-	•	•	•	•	•

*Double control only, without outlet, for Eclipse Stentor.

Eclipse: outlet for connecting moulder or other equipment (16A max). Eclipse Basic: terminal block available in the electrical box.

MANY AND MORE, REAL GOODS





555 Rue Benoit Frachon, 26800 PORTES-LES-VALENCE (France) Phone : +33 (0) 475 575 500 - Email : contact@sebp-bertrand.com www.bertrand-puma.fr

an Ali Group Company

