

SPEED.Compact[™] **ECO**





SPEED.Compact[™] **ECO**

Speed oven

The SPEED.Compact™ ECO is a 60 cm depth speed oven with a 30x30 cm cooking chamber and a 17 cm door opening footprint. Designed for speed and consistency, it uses microwaves and hot airflows to quickly reheat baked goods, snacks, and leavened items. Its intuitive interface ensures effortless setup and operation, streamlining workflows from day one. The easy panel-guided step-by-step cleaning procedure can be further enhanced with the optional QUICK. Rinse hand shower accessory. No exhaust pipes, hoods, or complex installation manuals are needed, the oven is ready to use straight out of the box. As one of the quietest and most odour-free models yet, it integrates seamlessly into any workspace, even side-by-side, optimising counter space. Featuring advanced mineral insulation and smart technology, the oven ensures energy efficiency and lasting durability.

Unox Intelligent Performance



$ADAPTIVE.Cooking^{\mathsf{m}}$:

automatically regulates the cooking parameters to ensure repeatable results



SMART.Preheating:

automatically sets the preheating temperature and duration



SMART.Energy:

automatic energy-saving function that recognises the absence of food in the cooking chamber and activates the stand-by mode reducing temperature and consumption.

Unox Intensive Cooking



SPEED.Plus:

generates microwaves and distributes them evenly throughout the baking chamber

Data Driven Cooking

Check and monitor in real-time the operating conditions of your ovens, create and share new recipes. Artificial intelligence transforms consumption data into useful information and allows you to increase daily profits

Manual cooking		
—— Temperature: 30 °C – 280 °C	—— Up to 9 cooking steps	
Programs		
——— 384 Speed programs	——— 10 favorite programs	
 SPEEDUNOX: choose something to cook from the library and the oven will automatically set all the parameters 		
Technical features		
recinifical reactives		
 High-resistance AISI 304 stainless steel cooking chamber 	 Baking chamber with integrated tray supports 	 Chamber-and-chimney catalysts to minimise gas, noise and odour emissions.
 Rock wool mineral insulation ensures maximum energy efficiency. 	 Crumb collection system integrated in the filter under the door 	—— Proximity door contact switch
 PLUG&PLAY installation: no exhaust pipes, hoods, or complex installation manuals are needed, the oven is ready to use straight out of the box. 	——— User friendly and intuitive control panel.	 CLICK&COOK: feature to start favourite cooking programmes directly from the main screen of the panel with just a touch.
—— Step-by-step cleaning procedure guidance from the control panel.	——— Integrated Wi-Fi	— Wi-Fi / USB data: download/upload HACCP data and programs

Speed oven 300x300



1 tray 300x300	F Electric
Oven model	XEMA-01NS-MCDN
Frequency	50 Hz
Voltage	230V 1~
Air heating power	3,2 kW
Microwaves power	1,5 kW
Electrical power	3.6 kW
Dimensions - w x d x h	424 x 719 x 616 mm
Weight	50 kg
Opening type	Drop down opening

Accessories 300x300

Speed Essentials



START.COOK

Starter kit including: TG133, TG132, XUC196

Ιt	e	r	۲	ì	

XUC292



SPEED.Marks

Non-stick aluminium ribbed tray with ribbed top plate. Equipped with a special spatula for quickly placing and removing food on the tray.

Dimensions - w x d x h	300 x 306 x 63 mm	Weight	2.8 kg	
		Item		

XUC289



SPEED.Plate FLAT

Flat non-stick aluminium tray.

Dimensions - h	32 mm	

Item TG142



SPEED.Plate RIBBED

Ribbed non-stick aluminium tray.

Dimensions	- h	32	mm
DITTICTISTOTIS	1.1	J_	

Item

TG143



Flat spatula

 $295 \times 300 \text{ (w x d)}$ spatula with non-stick coating and ergonomic handle with heat protection system.

Dimensions - w x d x h 295 x 477 x 92 mm

Item

XUC196



Flat spatula

 $165 \times 300 \text{ (w x d)}$ spatula with non-stick coating and ergonomic handle with heat protection system.

Dimensions - w x d x h	165 x	427 x	92	mm
-------------------------------	-------	-------	----	----

Item

XUC166



U-shaped flat spatula

 $165 \times 300 \text{ (w x d)}$ U-shaped spatula with non-stick coating and ergonomic handle. Facilitates loading operations of SPEED.Baskets

Dimensions - w x c	x b	n	165	5 X	427	Χ	92	mm

Item

XUC197

Accessories 300x300



SPEED.Basket LARGE

Mesh cooking basket.

Dimensions - w x d x h 280 x 280 x 25 mm

Item

TG132



SPEED.Basket SLIM

Mesh cooking basket.

Dimensions - w x d x h $140 \times 280 \times 13 \text{ mm}$

Item

TG131



SPEED.Basket MEDIUM

Mesh cooking basket.

Dimensions - w x d x h 280 x 180 x 25 mm

Item

TG127



SPEED.Basket SMALL

Mesh cooking basket.

Dimensions - w x d x h 180 x 140 x 25 mm

Item

TG126



Non-stick sheet for the cooking chamber

Prevents dirt from sticking to the bottom of the cooking chamber simplifying cleaning procedures.

 $\textbf{Dimensions} \textbf{-} w \times d$

315 x 315

Item TG133



Non-stick sheet for SPEED.Plate

Prevents crumbles and food residues from sticking to the tray simplifying cleaning procedures.

300 x 300

Item TG134

Accessories 300x300



SPEED.Bake tray

Two-level aluminium baking tray. Suitable for convection cooking, not suitable for microwave use.

Dimensions - h	99 mm	
		Item
		TG145



Storage tabletop

Practical stainless steel tabletop for convenient storage on the top of the unit.

Dimensions - $w \times d \times h$	550 x 422 x 67 mm	Weight	3 kg	
		Item		






Feet for ovens

Feet for positioning oven on counter.

Dimensions - h	100 mm	





QUICK.Rinse + Detergent

Includes a practical hand shower, drain kit and a bottle of SPRAY&Rinse detergent, providing everything needed to easily clean the oven.

Item XHC053-SR

QUICK.Rinse

Includes a practical hand shower and drain kit for easy oven cleaning.

Item XHC053



Drain kit

Includes a hose with a connector to easily drain crumbs and water from collection drawer.

Item XHC054



Ethernet connection

It allows you to connect to connect the oven to the internet via cable

Item

XEC023

Oficiálný predajca pre Slovensko:

GastroRex s.r.o,

IČO: 35783052

GastroRex - pobočka Bratislava, Mlynské luhy 80, Bratislava GastroRex - pobočka Banská Bystrica, Zvolenská cesta 141, Banská Bystrica GastroRex - pobočka Košice, Priemyselná 1733/2, Košice

> amc@gastrorex.sk tel.: +421 948 243914,

